FULL SIZE C/K LD PICKUPS

Model Symbol Chart....1
General Information....See Light Duty BBM "General Information" section
General Instructions....See Light Duty BBM "General Instruction" section
Camper Loading....See Online Order/Ref. Guide – "GM Consumer Info. Truck-Camper Loading"
Pickup Box Removal....See Light Duty BBM "Special Applications – Pickup Box Removal Program" section
Snow Plow Prep. Pkg....See Light Duty BBM "Special Applications – Snow Plow Prep Package" section
Trailering Information....See Light Duty Online Order/Ref. Guide – "Light Duty Trailering Specs"
Model and Option Weights....See Light Duty Online Order/Ref. Guide – "Model and Opt. Weights" & "Weight Calculator"

VEHICLE
- GENERAL ARRANGEMENT
  - Regular Cab....2
  - Extended Cab....3
  - Crew Cab....4
- Body/Cargo Weight Distribution – 6' 6"....5
- Body/Cargo Weight Distribution – 5' 8"....6
- Body/Cargo Weight Distribution – 8'....7

BODY – EXTERIOR
- GENERAL ARRANGEMENT
  - Regular Cab, 6' 6" Box – C/K 10703....8
  - Regular Cab, 8' Box – C/K 10903....9
  - Extended Cab, 6' 6" Box – C/K 10753....10
  - Extended Cab, 8' Box – C/K 10953....11
  - Crew Cab, 5' 8" Box – C/K 10543....12
- FRONT END CLIPS
  - C/K 100 (03/53/43)....13
- HOOD OPENINGS
  - C/K 100 (03/53/43)....14

BODY – EXTERIOR – *Continued*

HOOD PROFILES

Chevy X88 – C/K 100 (03/53/43) 15

GMC Z88 – C/K 100/200/300 (03/53/43) 16

REAR BACK OF CAB SILHOUETTE

Pickup 17

SIGN AREA

Regular Cab – C/K 100/200/300 (03) 18

Extended Cab – C/K 100/200/300 (53) 19

Crew Cab – C/K 100/200/300 (43) 20

CAB STEP IN HEIGHTS

Regular Cab (03) 21

Extended Cab (53) 22

Crew Cab (43) 23

MIRRORS, OUTSIDE REARVIEW

C/K 1000, Option DL8 and C/K 2000/3000, Option DE2 24

CAB CLEARANCE LAMPS, CHMSL AND REAR CAB WINDOW

Fixed and Sliding 25

CAB PRESSURE VALVE ASSEMBLY

Rear Quater Body Panel 26

PICKUP BOX

Side Rail Load Points/Paths – Structural Members 27

Side Rail Load Points/Paths – Primary/Secondary Load Points 28

Side Rail Load Points/Paths – Stake Pocket Openings & Front Structure 29

Side Rail Load Points/Paths – Stake Pocket Openings & Rear Structure 30

Length and Width Dimension for 5' 8", 6' 6" and 8' 31

Inside Panel, 5' 8" Box 32

BODY – EXTERIOR – PICKUP BOX – *Continued*

Cross Sills Location, 5' 8" Box 33

Inside Panel, 6' 6" Box 34

Cross Sills Location, 6' 6" Box 35

Inside Panel, 8' Box 36

Cross Sills Location, 8' Box 37

CAB – INTERIOR

SEATING ARRANGEMENT

Seating Positions and H Points 1st Row Front View, Pickups – C/K 100/200/300 (03/53/43) 38

Seating Positions and H Points 2nd Row Front View, Pickups – C/K 100/200/300 (03/53/43) 39

Seating Positions and H Points Side View, Pickups – C/K 100/200/300 (03/53/43) 40

SEAT MOUNTING HOLES LOCATIONS – FLOOR

C/K 100/200/300 (03/53/43) 41

C/K 10743 42

CHASSIS

DATUM HOLE LOCATION – FRAME

C/K 100 (00) and C/K 200/300 (00) 43

FRAME RAIL AND CROSSMEMBER LOCATION

C/K 10703 44

C/K 10903 45

C/K 10753 46

C/K 10953 47

C/K 10543 48

SPARE TIRE LOCATION

C/K 1000 Series Pickups 49

CHASSIS – *Continued*

PLATFORM HITCH

Pickups C/K 100 (03/53/43) 50

FRONT AXLE/TIRE DATA

Front Axle Tire Data Drawing – C/K 10000 Pickups 51

Front Axle Tire Data Chart – C/K 10000 Pickups 52, 53

REAR AXLE/TIRE DATA

Rear Axle Tire Data Drawing – C/K 10000 Pickups 54

Rear Axle Tire Data Chart – C/K 10000 Pickups 55, 56

FUEL SYSTEMS

C/K 10703 57

C/K 10903/53 Pickups 58

C/K 10753 and C/K 10543 Pickups 59

EXHAUST SYSTEMS

C/K 100 (00) w/LU3 (4.3L V6) 60

C/K 100 (00) w/L20 (4.8L V8) 61

C/K 100 (00) w/LMG, LC9 & (5.3L V6) 62

C/K 100 (00) w/LZ1 Hybrid (6.0L V8) 63

FULL SIZE C/K LD PICKUPS

Model Symbol Chart

MARKETS (Optional)	ENGINEERING MODEL	REGULAR CABS (03) 2 DOOR CHEVROLET / GMC	EXTENDED CABS (53) 4 DOOR CHEVROLET / GMC	CREW CABS (43) 4 DOOR CHEVROLET / GMC	GVWR (kg/lbs)	WHEELBASE (mm/in)	CAB-TO-AXLE (mm/in)
	C105			+ E63 5' 8" Box	3084/6800 & 3221/7100	3645/143.5	825.5/32.5
					2903/6400 & 2994/6600	3401/133.9	831.4/32.73
	C107	+ E63 6.5' Box			2903/6400	3023/119.0	1067/42
			+ E63 6.5' Box		2903/6400 & 3084/6800 & 3175/7000	3645/143.5	1067/42
	C109	+ E63 8' Box			2903/6400	3378/133.0	1422/56
			+ E63 8' Box		3130/6900	4000/157.5	1067/42
	K105			+ E63 5' 8" Box	3175/7000 & 3311/7300	3647/143.5	825.5/32.5
					3081/6800	3401/133.9	831.4/32.73
	K107	+ E63 6.5' Box			2903/6400	3023/119.0	1067/42
			+ E63 6.5' Box		3175/7000 & 3266/7200	3647/143.5	1067/42
	K109	+ E63 8' Box			2903/6400 & 3084/6800	3378/133.0	1422/56
			+ E63 8' Box		3175/7000	4000/157.5	1422/56

E63 – Fleetside / Wideside Box (5' 8", 6.5' and 8' Boxes)
ZW9 – Chassis Cab
EXAMPLE: C10903 = 2 DOOR REGULAR CAB / FLEETSIDE/WIDESIDE / 8' BOX

FULL SIZE C/K LD PICKUPS

Regular Cab – General Arrangement



GENERAL ARRANGEMENT GMT900 C/K10703,6'6" BOX, CHEVY 03JN2005 MD [ ]= INCHES

ANB32122.6

FULL SIZE C/K LD PICKUPS

Extended Cab – General Arrangement



ANB32122.8

FULL SIZE C/K LD PICKUPS

Crew Cab – General Arrangement



ANB32122.7

FULL SIZE C/K LD PICKUPS

Body/Cargo Weight Distribution – Pickups – 6' 6"



					BODY/CARGO WEIGHT DISTRIBUTION	
MODEL	A(WB)	CA	CB	BL	% FRONT AXLE	% REAR AXLE
CK10703	3023.0 [119.0]	1075.3 [42.33]	25.4 [1.0]	2062.3 [81.2]	1	99
CK10753 CK20753	3645.0 [143.5]	1063.4 [41.86]	25.4 [1.0]	2062.3 [81.2]	1	99

NOTE: DIMENSIONS SHOWN ARE NOMINAL.
CA=CAB TO REAR AXLE DIMENSION
CB=BODY CLEARANCE BETWEEN BODY AND CAB
BL=BOX LENGTH
A(WB)=WHEELBASE

$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{CA - CB - (BL/2)}{A(WB)} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

GMT900 BODY/CARGO WEIGHT DISTRIBUTION CK107207 03/43/53,6'6" BOX,2007/08

[ ]=INCHES

ANC07766.3

FULL SIZE C/K LD PICKUPS

Body/Cargo Weight Distribution – Pickups – 5' 8"



					BODY/CARGO WEIGHT DISTRIBUTION	
MODEL	A(WB)	CA	CB	BL	% FRONT AXLE	% REAR AXLE
CK10543	3645.0 [143.5]	831.4 [32.73]	25.4 [1.0]	1885.4 [74.23]	-4	104

NOTE: DIMENSIONS SHOWN ARE NOMINAL.
CA=CAB TO REAR AXLE DIMENSION
CB=BODY CLEARANCE BETWEEN BODY AND CAB
BL=BODY(BOX)LENGTH
A(WB)=WHEELBASE

$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{CA - CB - (BL/2)}{A(WB)} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

GMT900 BODY/CARGO WEIGHT DISTRIBUTION CK10543/53,5'8" BOX,2007/08

[ ]=INCHES

ANC07766.4

FULL SIZE C/K LD PICKUPS

Body/Cargo Weight Distribution – Pickups – 8'



					BODY/CARGO WEIGHT DISTRIBUTION	
MODEL	A(WB)	CA	CB	BL	% FRONT AXLE	% REAR AXLE
CK10903	3378.0 [133.0]	1430.7 [56.32]	25.4 [1.0]	2616.8 [103.02]	3	97
CK10953	4000.5 [157.5]	1430.7 [56.32]	25.4 [1.0]	2616.8 [103.02]	3	97

NOTE: DIMENSIONS SHOWN ARE NOMINAL.
CA=CAB TO REAR AXLE DIMENSION
CB=BODY CLEARANCE BETWEEN BODY AND CAB
BL=BOX LENGTH
A(WB)=WHEELBASE

$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{CA - CB - (BL/2)}{A(WB)} \times 100 = \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

GMT900 BODY/CARGO WEIGHT DISTRIBUTION CK109209309 03/43/53,8.0' BOX,2007/08

[ ]=INCHES

ANC07766.5

FULL SIZE C/K LD PICKUPS

C/K 10703, Regular Cab 6' 6" Box – Body General Arrangement



ANB70929.3

FULL SIZE C/K LD PICKUPS

C/K 10903, Regular Cab 8' Box – Body General Arrangement



ANB70929.4

FULL SIZE C/K LD PICKUPS

C/K 10753, Extended Cab 6' 6" Box – Body General Arrangement



1000 SERIES CHEVY CK10753 (EXT CAB 6'6" PUBX) 143.5" WHEELBASE

[ ]= INCHES

ANB70929.6

FULL SIZE C/K LD PICKUPS

C/K 10953, Extended Cab 8' Box – Body General Arrangement



1000 SERIES CHEVY CK10953 (EXT CAB 8'0" PUBX) 157.5" WHEELBASE

[ ]= INCHES

ANB70929.5

FULL SIZE C/K LD PICKUPS

C/K 10543, Crew Cab 5' 8" Box – Body General Arrangement



ANB70929.8

FULL SIZE C/K LD PICKUPS

C/K 100 (03/53/43) – Front End Clips



X88: CHEVROLET C/K 100 03/43/53
GMT900 2007 C/K 100 03/43/53

Z88: GMC C/K 100 03/43/53

[ ]= INCHES

ANB43157.4

FULL SIZE C/K LD PICKUPS

C/K 100 (03/53/43) – Hood Openings



GMT 900 2007
CK 100200300 & X88/Z88

ANC48308.4

Chevy X88 – C/K 100 (03/53/43) – Hood Profiles





PT. #	LENGTH	WIDTH
1	1343.3	851.9
2	1300.0	851.5
3	1200.0	849.5
4	1100.0	847.4
5	1000.0	845.0
6	900.0	842.3
7	800.0	839.1
8	700.0	835.3
9	600.0	830.4
10	500.0	824.5
11	400.00	816.6
12	350.0	811.5
13	300.0	801.9
14	281.3	796.7
15	276.0	792.6
16	241.1	750.0
17	205.2	700.0
18	180.4	650.0
19	168.3	600.0
20	149.4	500.0
21	133.8	400.0
22	121.0	300.0
23	110.6	200.0
24	102.6	100.0
25	96.9	0.0

DRIVER SIDE COORDINATES

GMT900 HOOD PROFILE X88 (CHEV) 2007 C/K 100 034353

ANB49774.4

FULL SIZE C/K LD PICKUPS

GMC Z88 – C/K 100/200 (03/53/43) – Hood Profiles



PT. #	LENGTH	WIDTH
1	1343.2	850.7
2	1300.0	850.6
3	1200.0	849.1
4	1100.0	847.2
5	1000.0	845.0
6	900.0	842.2
7	800.0	838.8
8	700.0	834.8
9	600.0	829.9
10	500.0	823.9
11	400.0	816.7
12	300.0	809.4
13	284.0	808.0
14	280.0	803.7
15	277.7	800.0
16	234.2	700.0
17	199.3	600.0
18	191.9	576.3
19	188.4	572.1
20	158.8	533.4
21	150.0	500.0
22	128.3	400.0
23	111.5	300.0
24	99.6	200.0
25	92.4	100.0
26	90.0	0.0

DRIVER SIDE COORDINATES

GMT900 HOOD PROFILE Z88 (GMC) 2007 C/K 100/200

ANB49774.6

FULL SIZE C/K LD PICKUPS

Rear Back of Cab Silhouette – Pickups

NOMINAL BACK OF CAB COORDINATES FOR
03 REG CAB / 53 EXT CAB / 43 CREW CAB





DRIVER SIDE COORDINATES

PT#	WIDTH	HEIGHT
1	-959.77	1200.00
2	-948.08	1250.00
3	-927.17	1300.00
4	-911.21	1350.00
5	-897.47	1400.00
6	-882.74	1450.00
7	-866.87	1500.00
8	-849.75	1550.00
9	-831.23	1600.00
10	-811.12	1650.00

PT#	WIDTH	HEIGHT
11	-789.20	1700.00
12	-765.19	1750.00
13	-738.54	1800.00
14	-705.51	1850.00
15	-668.36	1877.58
16	-659.89	1862.84
17	-644.05	1866.69
18	-636.02	1876.68
19	-600.00	1881.56
20	-550.00	1886.34

PT#	WIDTH	HEIGHT
21	-500.00	1890.02
22	-450.00	1893.19
23	-400.00	1896.03
24	-350.00	1898.55
25	-300.00	1900.74
26	-250.00	1902.60
27	-200.00	1904.12
28	-150,00	1905.31
29	-100.00	1906.15
30	-50.00	1906.66
31	00.00	1906.83

C/K10703

[ ]= INCHES

ANB56252

Regular Cab Pickup – C/K 100/200/300 (03) – Sign Area



GMT900 TRUCK REGCAB SIGN AREA X88 SHOWN

[ ]= INCHES

ANC41481.6

Extended Cab Pickup – C/K 100/200/300 (53) – Sign Area



GMT900 TRUCK EXTCAB SIGN AREA X88 SHOWN

[ ]= INCHES

ANC41481.7

FULL SIZE C/K LD PICKUPS

Crew Cab Pickup – C/K 100/200/300 (43) – Sign Area



GMT800 TRUCK CREWCAB SIGN AREA X88 SHOWN

[ ]= INCHES

ANC41481.5

Regular Cab (03) – Cab Step in Heights



ALL MATH DATA FOR CK10003,ABOVE THE FRAME ARE MOVED UP 51 MM TO OBTAIN THE DATA FOR CK200300 03 MODELS.

MODEL	A (WB)	B
CK10703	3023.0 [119.0]	174.8 [6.88]
CK10903	3378.0 [133.0]	174.8 [6.88]
CK20903HD	3378.0 [133.0]	225.8 [8.90]
CK30903	3378.0 [133.0]	225.8 [8.90]
CK31003	3480.0 [137.0]	225.8 [8.90]
CK31403	4102.0 [161.5]	225.8 [8.90]

GMT900 STEP IN HEIGHTS FOR CK100200300 03 2007/08

[ ]= INCHES

ANC10189.3

FULL SIZE C/K LD PICKUPS

Extended Cab (53) – Cab Step in Heights



ALL MATH DATA FOR CK100 53,ABOVE THE FRAME ARE MOVED UP 51 MM TO OBTAIN THE DATA FOR CK200300 53 MODELS.

MODEL	A (WB)	B
CK10753	3645.0 [143.5]	174.8 [6.88]
CK10953	4000.5 [157.]	174.8 [6.88]
CK20753HD	3645.0 [143.5]	225.8 [8.90]
CK20953HD	4000.5 [157.5]	225.8 [8.90]
CK30953	4000.5 [157.5]	225.8 [8.90]
CK31053	4102.0 [161.5]	225.8 [8.90]

GMT900 STEP IN HEIGHTS FOR CK100200300 53 2007/08

[ ]= INCHES

ANC10189.4

Crew Cab (43) – Cab Step in Heights



ALL MATH DATA FOR CK100 43,ABOVE THE FRAME ARE MOVED UP 51 MM TO OBTAIN THE DATA FOR CK200300 43 MODELS.

MODEL	A(WB)	B	B1
CK10543	3645.0 [143.5]	174.8 [6.88]	174.6 [6.88]
CK20743HD	3886.0 [153.0]	225.8 [8.90]	225.6 [8.90]
CK20943HD	4242.0 [167.0]	225.8 [8.90]	225.6 [8.90]
CK30943	4242.0 [167.0]	225.8 [8.90]	225.6 [8.90]

GMT900 STEP IN HEIGHTS FOR CK100200300 43 2007/08

[ ]=INCHES

ANC10189.5

FULL SIZE C/K LD PICKUPS

C/K 1000, Option DL8 and C/K 2000, Option DE2 – Mirrors, Outside Rearview



*DL8 TRUCK 1000 SERIES



*DE2 TRUCK 2000/3000 SERIES

ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED

GMT900 1000 2000 SERIES TRUCK

( ) = INCHES

ANC22057.5

FULL SIZE C/K LD PICKUPS

Cab Clearance Lamps, CHMSL and Rear Cab Window – Fixed and Sliding



ANC26550.3

Rear Quarter Body Panel – Cab Pressure Valve Assembly



CK 100 03 SHOWN
FOR HD INCREASE
HEIGHT 51MM

CK 100200300 034353
CK 200300 034353

[ ]= INCHES

ANC27961.3

GMT900 Pickup Box Side Rail Load Points/Paths



- The GMT900 Pickup Box has been designed with side-rail mounted accessories in mind.
- Specific structural members have been added to provide load paths directly to the platform cross-sills and into the vehicle frame.
- Aftermarket accessories should take advantage of these intended load paths.

GMT900 Pickup Box Side Rail Load Points/Paths

Top View – Structural Members



GMT900 Pickup Box Side Rail Load Points/Paths

Top View – Front Structure



GMT900 Pickup Box Side Rail Load Points/Paths



FULL SIZE C/K LD PICKUPS

Length and Width Dimension for 5' 8", 6' 6" and 8' – Pickup Box



	A	B	C	D	E	F	G	H	J
C/K 5.8 FT	1885.2 [74.22]	1827.5 [71.95]	576.45 [22.70]	187.2 [7.37]	846.7 [33.33]	2417.1 [95.20]	1921.0 [75.63]	1710.8 [67.71]	1835.8 [72.27]
C/K 6.6 FT	2127.2 [83.75]	2060.5 [81.48]	574.2 [22.61]	438.2 [17.17]	1060.3 [42.03]	2650.1 [104.60]	2183.0 [85.16]	1961.8 [77.24]	2070.2 [81.86]
C/K 8.0 FT	2630.1 [103.55]	2540.5 [100.37]	698.6 [27.50]	791.4 [31.16]	1445.0 [56.03]	3130.1 [123.50]	2643.4 [104.07]	2441.8 [93.13]	2550.2 [100.76]

C/K 5'8", 6'6", AND 8'0" PICKUP BOX

[ ]= INCHES

ANB70929.17

FULL SIZE C/K LD PICKUPS

Inside Panel, 5' 8" Box – Pickup Box



GMT900 PICKUP BOX INNER SIDE,BOX5'8",CK10543/53,2007/08 SHOWN CK10553

ANB86203.5

FULL SIZE C/K LD PICKUPS

Cross Sills Location, 5' 8" Box – Pickup Box



SECTION E-E



SECTION F-F
3 PLACES



SECTION G-G

MODEL	A(WB)
CK10553	3402.0 [133.9]
CK10543	3645.0 [143.5]



GMT900 PLATFORM SILLS BOX5'8",CK10543 2007/2008

SHOWN CK10553

[ ]=INCHES

ANB86203.6

Inside Panel, 6' 6" Box – Pickup Box



GMT900 PICKUP BOX INNER SIDE ,BOX 6'6",CK10703/53,20743/53,2007/08

SHOWN CK10703

[ ]=INCHES

ANB86203.3

FULL SIZE C/K LD PICKUPS

Cross Sills Location, 6' 6" Box – Pickup Box



SECTION E-E



SECTION F-F
TYP 3 PLACES



SECTION G-G

MODEL	A (WB)	TOP OF FLOOR RIBS	B
CK10703	3023.0 [119.0]	838.3 [33.0]	388.3 [15.29]
CK10753	3645.0 [143.5]	838.3 [33.0]	388.3 [15.29]
CK20753	3645.0 [143.5]	889.3 [35.0]	439.3 [17.30]
CK20743	3886.0 [153.0]	889.3 [35.0]	439.3 [17.30]



GMT900 PLATFORM SILLS,BOX 6'6", CK10703/53,CK20743/53,2007/08

SHOWN CK10703

[ ]=INCHES

ANB86203.4

FULL SIZE C/K LD PICKUPS

Inside Panel, 8' Box – Pickup Box



ANB86203.7

FULL SIZE C/K LD PICKUPS

Cross Sills Location, 8' Box – Pickup Box



MODEL	A (WB)	TOP OF FLOOR RIBS	B
CK10903	3378.0 [133.0]	838.3 [33.0]	388.3 [15.29]
CK20903		889.3 [35.0]	439.3 [17.30]
CK30903		889.3 [35.0]	439.3 [17.30]
CK30903&VSP		889.3 [35.0]	439.3 [17.30]
CK10953	4000.5 [157.5]	838.3 [33.0]	388.3 [15.29]
CK20953		889.3 [35.0]	439.3 [17.30]
CK30953		889.3 [35.0]	439.3 [17.30]
CK30953&VSP		889.3 [35.0]	439.3 [17.30]
CK20943	4242.0 [167.0]	889.3 [35.0]	439.3 [17.30]
CK30943		889.3 [35.0]	439.3 [17.30]

NOTE:MATH DATA IN PHANTOM LINE ARE FOR CK30903/53 DUALLY(VSP)
VSP=BOX DUAL REAR WHEELS

GMT900 PLATFORM SILLS,BOX 8',CK10920903/43/53,2007/08

SHOWN CK10903

[ ]=INCHES

ANB86203.8

FULL SIZE C/K LD PICKUPS

Seating Positions and H Points 1st Row Front View, Pickups – C/K 100/200/300 (03/53/43)



ANC32358.3

FULL SIZE C/K LD PICKUPS

Seating Positions and H Points 2nd Row Front View, Pickups – C/K 100/200/300 (03/53/43)



ANC32358.4

Seating Positions and H Points Side View, Pickups – C/K 100/200/300 (03/53/43)



ANC32358.5

FULL SIZE C/K LD PICKUPS

C/K 100/200/300 (03/53) – Seat Mounting Holes Locations – Floor



GMT900 C/K 100/200/300 03/53 SEAT MOUNT LOCATIONS 2008

[ ]=INCHES

ANB51264.3

FULL SIZE C/K LD PICKUPS

C/K 10743 – Seat Mounting Holes Locations – Floor



ANB46371.3

C/K 100 (00) and C/K 200 (00) – Datum Hole Location



CK 100 00



CK 200 00

GMT 900 CK100200 00 FRAME DATUM LOCATIONS

[ ] = INCHES

ANC30752.3

C/K 10703 – Frame Rail and Crossmember Locations



ANB34864.6

C/K 10903 – Frame Rail and Crossmember Locations



ANB34864.7

C/K 10753 – Frame Rail and Crossmember Locations



ANB34864.12

FULL SIZE C/K LD PICKUPS

C/K 10953 – Frame Rail and Crossmember Locations



ANB34864.13

C/K 10543 – Frame Rail and Crossmember Locations



ANB34864.17

FULL SIZE C/K LD PICKUPS

C/K 1000 Series Pickups – Spare Tire Location



MODEL	TIRE	A	B	C	D	E	F
CK10703	P265/75R-17	923.0 [36.34]	81.0 [3.17]	21°	216.3 [8.50]	1072.3 [42.22]	240.0 [9.45]
CK10753	P265/70R-17	945.5 [37.22]	81.0 [3.17]	21°	216.3 [8.50]	990.5 [39.00]	240.0 [9.45]
CK10903	P265/70R-17	945.5 [37.22]	81.0 [3.17]	21°	216.3 [8.50]	1094.8 [43.10]	222.0 [8.74]
CK10953	P265/70R-17	923.0 [36.34]	81.0 [3.17]	16.5°	216.3 [8.50]	1197.0 [47.12]	222.0 [8.74]
CK10543	P265/70R-17	895.5 [35.25]	81.0 [3.17]	21°	203.2 [8.00]	1020.5 [40.18]	240.0 [9.45]
CK10553	P265/70R-17	631.5 [24.90]	81.0 [3.17]	21°	216.3 [8.50]	1072.3 [42.22]	222.0 [8.74]



GMT900 2007 SPARE TIRE TRUCKS 1000 SERIES

[ ]= INCHES

ANC39360.4

Pickups C/K 100 (03/53/43) – Platform Hitch



MODEL	℄ REAR AXLE	DIM "A"
C/K 105 43 C/K 107 53	4645	599.6
C/K 107 03	4023	599.8
C/K 109 03	4378	724.2
C/K 109 53	5001	723.9

GMT900 C/K 100 03/43/53 2008

[ ]: INCHES

ANB84248.3

Front Axle Tire Data Drawing – C/K 10000 Pickups



VYU = SNOW PLOW

Z83 = CHASSIS PACKAGE SOLID SMOOTH RIDE

Z85 = CHASSIS PACKAGE INCREASED CAPACITY

E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX

Z71 = CHASSIS PACKAGE OFF ROAD

ZW7 = CHASSIS PACKAGE PREMIUM SMOOTH RIDE

*MINIMUM GROUND CLEARANCE TO BE CALCULATED BY USING GROSS AXLE WEIGHT AND RECOMMENDED TIRE PRESURE

GMT900 UTILITIES 1000 SERIES/TRUCK 1000 SERIES FRONT AXLE/TIRE DATA (2007)

[ ]= INCHES

ANB46140.13

Front Axle Tire Data Chart – C/K 10000 Pickups

SERIES	OPT	SLR	TIRES	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	MAX TIRE WIDTH	GROUND CLEARANCE
CK10703	Z83/Z85/E63/Z71/Z60	370	P265/65R18	6400	SINGLE	1726.3	31.0	TBD	217.6
C10753	Z83/Z85/E63/Z71/Z60	351	P245/70R17	6800	SINGLE	1726.3	31.0	266.0	181.4
C10753	Z83/Z85/E63/Z71/Z60	368	P265/70R17	6800	SINGLE	1726.3	31.0	281.0	198.6
C10753	Z83/Z85/E63/Z71/Z60	370	P265/65R18	6800	SINGLE	1726.3	31.0	286.0	206.7
C10753	Z83/Z85/E63/Z71/Z60	368	P275/55R20	6800	SINGLE	1726.3	31.0	298.0	199.2
C10753	Z83/Z85/E63/Z71/Z60	359	LT245/70R17	7000	SINGLE	1726.3	31.0	266.0	195.7
C10753	Z83/Z85/E63/Z71/Z60	366	P265/70R17	7000	SINGLE	1726.3	31.0	281.0	202.7
C10753	Z83/Z85/E63/Z71/Z60	368	P275/55R20	7000	SINGLE	1726.3	31.0	298.0	205.3
K10753	Z83/Z85/E63/Z71/Z60	365	P265/70R17	7000	SINGLE	1726.3	31.0	281.0	207.6
K10753	Z83/Z85/E63/Z71/Z60	367	P265/65R18	7000	SINGLE	1726.3	31.0	286.0	189.9
K10753	Z83/Z85/E63/Z71/Z60	365	P275/55R20	7000	SINGLE	1726.3	31.0	298.0	208.0
K10753	Z83/Z85/E63/Z71/Z60	356	LT245/70R17	7200	SINGLE	1726.3	31.0	266.0	199.1
K10753	Z83/Z85/E63/Z71/Z60	363	P265/70R17	7200	SINGLE	1726.3	31.0	281.0	185.9
K10753	Z83/Z85/E63/Z71/Z60	365	P275/55R20	7200	SINGLE	1726.3	31.0	298.0	208.0
C10903	Z83/Z85/E63/Z71	353	P245/70R17	6400	SINGLE	1726.3	31.0	266.0	195.6
C10903	Z83/Z85/E63/Z71	370	P265/70R17	6400	SINGLE	1726.3	31.0	281.0	203.4
C10903	Z83/Z85/E63/Z71	370	P265/65R18	6400	SINGLE	1726.3	31.0	286.0	202.8
K10903	VYU/Z83/Z85/E63/Z71	347	P245/70R17	6800	SINGLE	1726.3	31.0	266.0	173.8
K10903	VYU/Z83/Z85/E63/Z71	370	P265/65R18	6800	SINGLE	1726.3	31.0	286.0	195.8
K10903	VYU/Z83/Z85/E63/Z71	359	LT24570R17	6800	SINGLE	1726.3	31.0	266.0	184.8
K10903	VYU/Z83/Z85/E53Z71	365	P265/70R17	6800	SINGLE	1726.3	31.0	281.0	191.1
C10953	Z83/Z85/E63/Z71	350	P245/70R17	6900	SINGLE	1726.3	31.0	266.0	186.2
C10953	Z83/Z85/E63/Z71	369	P265/65R18	6900	SINGLE	1726.3	31.0	286.0	204.7
C10953	Z83/Z85/E63/Z71	367	P265/70R17	6900	SINGLE	1726.3	31.0	291.0	202.4
K10953	Z83/Z85/E63/Z71	348	P245/70R17	7000	SINGLE	1726.3	31.0	266.0	194.0
K10953	Z83/Z85/E63/Z71	365	P265/70R17	7000	SINGLE	1726.3	31.0	291.0	211.2
K10953	Z83/Z85/E63/Z71	367	P265/65R18	7000	SINGLE	1726.3	31.0	286.0	212.6

GMT900 TRUCKS FRONT AXLE/TIRE DATA 1000 SERIES (2007)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

ANB46140.17

Front Axle Tire Data Chart – C/K 10000 Pickups

SERIES	OPT	SLR	TIRES	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	MAX TIRE WIDTH	GROUND CLEARANCE
C10543	Z71/783/Z85/E63	346	LT245/70R17	6800	SINGLE	1726.3	31.0	266.0	183.0
C10543	Z71/783/Z85/E63	346	P245/70R17	6800	SINGLE	1726.3	31.0	266.0	183.0
C10543	Z71/783/Z85/E63	370	P265/65R18	6800	SINGLE	1726.3	31.0	286.0	206.7
C10543	Z71/783/Z85/E63	359	LT245/70R17	6800	SINGLE	1726.3	31.0	266.0	195.7
C10543	Z71/783/Z85/E63	368	P265/70R17	6800	SINGLE	1726.3	31.0	281.0	203.8
C10543	Z71/783/Z85/E63	368	P275/55R20	6800	SINGLE	1726.3	31.0	298.0	205.0
K10543	Z71/783/Z85/E63	365	P275/55R20	7000	SINGLE	1726.3	31.0	298.0	211.4
K10543	Z71/783/Z85/E63	367	P265/65R18	7000	SINGLE	1726.3	31.0	286.0	212.7
C10543	Z71/783/Z85/E63	368	P265/65R18	7100	SINGLE	1726.3	31.0	286.0	220.0
K10543	Z71/783/Z85/E63	365	P265/70R17	7000	SINGLE	1726.3	31.0	281.0	204.0
K10543	Z71/783/Z85/E63	348	LT245/70R17	7000	SINGLE	1726.3	31.0	266.0	193.6
K10543	Z71/783/Z85/E63	348	P245/70R17	7000	SINGLE	1726.3	31.0	266.0	193.6
K10543	Z71/783/Z85/E63	356	LT245/70R17	7300	SINGLE	1726.3	31.0	266.0	202.5
K10543	Z71/783/Z85/E63	365	P275/55R20	7300	SINGLE	1726.3	31.0	298.0	211.4
K10543	Z71/783/Z85/E63	363	P265/70R17	7300	SINGLE	1726.3	31.0	281.0	208.7

GMT900 TRUCKS FRONT AXLE/TIRE DATA 1000 SERIES (2007)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

ANB46140.18

FULL SIZE C/K LD PICKUPS

Rear Axle Tire Data Drawing – C/K 10000 Pickups





SECTION B-B
ROTATED 90

RING GEAR	G
[8.6] DIA	139.0 [5.47]
[9.5] DIA	160.0 [6.30]

A = TRACK + F
B = TRACK - F

* MAX GROWN TIRE RADIUS ON NARROWEST RIM
** MAX GROWN TIRE WIDTH ON WIDEST RIM
TIRE CHAINS NOT INCLUDED

VYU = SNOW PLOW
Z83 = CHASSIS PACKAGE SOLID SMOOTH RIDE
Z85 = CHASSIS PACKAGE INCREASED CAPACITY
E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX
Z71 = CHASSIS PACKAGE OFF ROAD

GMT900 TRUCKS REAR AXLE/TIRE DATA 1000 SERIES(2007)

[ ]= INCHES

ANB46140.5

Rear Axle Tire Data Chart – C/K 10000 Pickups

SERIES	OPT	SLR	TIRES	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	-A-	-B-	-C-	-D-	-E-	-F-
CK10703	Z83/Z85/E63	369	P265/65R18	6400	SINGLE	1701.8	31.0	1986.9	1414.9	119.9	234.9	408.5	286.0
CK10703	Z83/Z85/E63	367	P265/70R17	6400	SINGLE	1701.8	31.0	1980.8	1418.8	123.7	171.2	410.0	281.0
CK10703	Z83/Z85/E63	345	P245/70R17	6400	SINGLE	1701.8	31.0	1967.9	1435.9	130.3	228.9	393.9	266.0
CK10703	Z83/Z85/E63	367	P275/55R20	6400	SINGLE	1701.8	31.0	1999.0	1403.0	112.3	244.3	410.0	298.0
CK10703	VYU/Z83/Z85/E63	345	LT245/70R17	6400	SINGLE	1701.8	31.0	1967.9	1435.9	130.6	229.7	393.9	266.0
C10753	Z83/Z85/E63/Z71/Z60	345	P245/70R17	6400	SINGLE	1701.8	31.0	1967.9	1435.9	129.9	228.9	393.9	266.0
C10753	Z83/Z85/E63/Z71/Z60	367	P265/70R17	6400	SINGLE	1701.8	31.0	1980.8	1418.8	122.1	236.7	410.0	281.0
C10753	Z83/Z85/E63/Z71/Z60	367	P265/65R18	6800	SINGLE	1701.8	31.0	1986.9	1414.9	118.8	241.3	408.5	286.0
C10753	Z83/Z85/E63/Z71/Z60	348	P245/70R17	6800	SINGLE	1701.8	31.0	1967.9	1435.9	129.9	228.9	393.9	266.0
C10753	Z83/Z85/E63/Z71/Z60	365	P265/70R17	6800	SINGLE	1701.8	31.0	1982.8	1420.8	122.1	236.7	380.0	281.0
C10753	Z83/Z85/E63/Z71/Z60	365	P275/55R20	6800	SINGLE	1701.8	31.0	1999.0	1403.0	111.9	244.3	410.0	298.0
C10753	Z83/Z85/E63/Z71/Z60	361	P265/70R17	7000	SINGLE	1701.8	31.0	1980.8	1418.8	122.1	236.7	410.0	281.0
C10753	Z83/Z85/E63/Z71/Z60	355	LT245/70R17	7000	SINGLE	1701.8	31.0	1967.9	1435.9	130.2	229.7	396.9	266.0
C10753	Z83/Z85/E63/Z71/Z60	365	P275/55R20	7000	SINGLE	1701.8	31.0	1999.0	1403.0	111.9	244.3	410.0	298.0
K10753	Z83/Z85/E63/Z71/Z60	355	P245/70R17	7000	SINGLE	1701.8	31.0	1967.9	1435.9	129.9	228.9	393.9	266.0
K10753	Z83/Z85/E63/Z71/Z60	367	P265/65R18	7000	SINGLE	1701.8	31.0	1986.9	1414.9	118.8	241.3	408.5	286.0
K10753	Z83/Z85/E63/Z71/Z60	365	P265/70R17	7000	SINGLE	1701.8	31.0	1982.8	1420.8	122.1	236.7	380.0	281.0
K10753	Z83/Z85/E63/Z71/Z60	365	P275/55R20	7000	SINGLE	1701.8	31.0	1999.0	1403.0	111.9	244.3	410.0	298.0
K10753	Z83/Z85/E63/Z71/Z60	361	P265/70R17	7200	SINGLE	1701.8	31.0	1980.8	1418.8	122.1	236.7	410.0	281.0
K10753	Z83/Z85/E63/Z71/Z60	355	LT245/70R17	7200	SINGLE	1701.8	31.0	1967.9	1435.9	130.2	229.7	393.9	266.0
K10753	Z83/Z85/E63/Z71/Z60	363	P275/55R20	7200	SINGLE	1701.8	31.0	1999.0	1403.0	111.9	244.3	410.0	298.0
C10903	Z85/Z83/Z71/E63	345	LT245/70R17	6400	SINGLE	1701.8	31.0	1967.9	1435.9	130.2	229.7	393.9	266.0
C10903	Z85/Z83/Z71/E63	369	P265/65R18	6400	SINGLE	1701.8	31.0	1980.8	1418.8	118.8	241.3	410.0	281.0
C10903	Z85/Z83/Z71/E63	349	P245/70R17	6400	SINGLE	1701.8	31.0	1967.9	1435.9	130.2	229.7	393.9	266.0
C10903	Z85/Z83/Z71/E63	367	P265/70R17	6400	SINGLE	1701.8	31.0	1980.8	1418.8	119.5	234.9	410.0	281.0
K10903	Z85/Z83/Z71/E63/VYU	345	P245/70R17	6400	SINGLE	1701.8	31.0	1967.9	1435.9	130.2	229.7	393.9	266.0
K10903	Z85/Z83/Z71/E63/VYU	367	P265/70R17	6400	SINGLE	1701.8	31.0	1980.8	1418.8	119.5	234.9	410.0	281.0
K10903	Z85/Z83/Z71/E63/VYU	345	LT245/70R17	6400	SINGLE	1701.8	31.0	1967.9	1435.9	130.2	229.7	393.9	266.0
K10903	Z85/Z83/Z71/E63/VYU	367	P265/65R18	6800	SINGLE	1701.8	31.0	1986.9	1414.9	122.1	236.8	408.5	286.0
K10903	Z85/Z83/Z71/E63/VYU	348	LT245/70R17	6800	SINGLE	1701.8	31.0	1967.9	1435.9	130.2	229.7	393.9	266.0
K10903	Z85/Z83/Z71/E63/VYU	348	P245/70R17	6800	SINGLE	1701.8	31.0	1967.9	1435.9	130.2	229.7	393.9	266.0
K10903	Z85/Z83/Z71/E63/VYU	365	P265/70R17	6800	SINGLE	1701.8	31.0	1980.8	1418.8	119.5	234.9	410.0	281.0

GMT900 TRUCKS REAR AXLE/TIRE DATA 1000 SERIES(2007)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

ANB46140.6

Rear Axle Tire Data Chart – C/K 10000 Pickups

SERIES	OPT	SLR	TIRES	GVW RATING	REAR WHEEL	TRACK	WHEEL OFFSET	-A-	-B-	-C-	-D-	-E-	-F-
C10953	Z83/Z85/E63/Z71	367	P265/65R18	6900	SINGLE	1701.8	31.0	1986.9	1414.9	118.8	241.3	408.5	286.0
C10953	Z83/Z85/E63/Z71	348	P245/70R17	6900	SINGLE	1701.8	31.0	1967.9	1435.9	129.9	228.9	393.9	266.0
C10953	Z83/Z85/E63/Z71	365	P265/70R17	6900	SINGLE	1701.8	31.0	1980.8	1418.8	122.2	236.8	410.0	281.0
K10953	Z83/Z85/E63/Z71	367	P265/65R18	7000	SINGLE	1701.8	31.0	1986.9	1414.9	118.8	241.3	408.5	286.0
K10953	Z83/Z85/E63/Z71	355	P245/70R17	7000	SINGLE	1701.8	31.0	1967.9	1435.9	129.9	228.9	393.9	266.0
K10953	Z83/Z85/E63/Z71	365	P265/70R17	7000	SINGLE	1701.8	31.0	1980.8	1418.8	122.2	236.8	410.0	281.0
C10543	Z83/Z85/E63/Z71/Z60	367	P265/65R18	6800	SINGLE	1701.8	31.0	1986.9	1414.9	118.8	241.3	408.5	286.0
C10543	Z83/Z85/E63/Z71/Z60	348	LT245/70R17	6800	SINGLE	1701.8	31.0	1967.9	1435.9	13.02	229.7	393.9	266.0
C10543	Z83/Z85/E63/Z71/Z60	348	P245/70R17	6800	SINGLE	1701.8	31.0	1967.9	1435.9	130.2	229.7	393.9	266.0
C10543	Z83/Z85/E63/Z71/Z60	365	P265/70R17	6800	SINGLE	1701.8	31.0	1980.8	1418.8	122.2	236.8	410.0	281.0
C10543	Z83/Z85/E63/Z71/Z60	365	P275/55R20	6800	SINGLE	1701.8	31.0	1999.0	1403.0	111.9	244.3	410.0	298.0
K10543	Z83/Z85/E63/Z71/Z60	355	LT245/70R17	7000	SINGLE	1701.8	31.0	1967.9	1435.9	130.2	229.7	393.9	266.0
K10543	Z83/Z85/E63/Z71/Z60	367	P265/65R18	7000	SINGLE	1701.8	31.0	1986.9	1414.9	118.8	241.3	408.5	286.0
K10543	Z83/Z85/E63/Z71/Z60	365	P275/55R20	7000	SINGLE	1701.8	31.0	1999.0	1403.0	111.9	244.3	410.0	298.0
C10543	Z83/Z85/E63/Z71/Z60	364	P265/70R17	7100	SINGLE	1701.8	31.0	1980.8	1418.8	122.2	236.8	410.0	281.0
C10543	Z83/Z85/E63/Z71/Z60	363	P265/65R18	7100	SINGLE	1701.8	31.0	1986.9	1414.9	118.8	241.3	408.5	286.0
K10543	Z83/Z85/E63/Z71/Z60	365	P265/70R17	7000	SINGLE	1701.8	31.0	1980.8	1418.8	122.2	236.8	410.0	281.0
K10543	Z83/Z85/E63/Z71/Z60	355	LT245/70R17	7000	SINGLE	1701.8	31.0	1967.9	1435.9	130.2	299.7	393.9	266.0
K10543	Z83/Z85/E63/Z71/Z60	355	P245/70R17	7000	SINGLE	1701.8	31.0	1967.9	1435.9	130.2	229.7	393.9	266.0
K10543	Z83/Z85/E63/Z71/Z60	355	LT245/70R17	7300	SINGLE	1701.8	31.0	1967.9	1435.9	130.2	229.7	393.9	266.0
K10543	Z83/Z85/E63/Z71/Z60	361	P265/70R17	7300	SINGLE	1701.8	31.0	1980.8	1418.8	122.2	236.8	410.0	281.0
K10543	Z83/Z85/E63/Z71/Z60	363	P275/55R20	7300	SINGLE	1701.9	31.0	1999.0	1403.0	111.9	244.3	410.0	298.0

GMT900 TRUCKS REAR AXLE/TIRE DATA 1000 SERIES(2007)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

ANB46140.7

C/K 10703 – Fuel Systems



ANB49354.6

C/K 10903/53 Pickups – Fuel Systems



MODEL	A
CK10903	3378.0 [133.0]
CK10953	5000.5 [157.5]

GMT900 34 GALLON FUEL TANK
CK10903/53 2007

SHOWN CK10903

[ ]= INCHES

ANB49354.7

C/K 10753 and C/K 10543 Pickups – Fuel Systems



MODEL	C	D
CK10543	609.4 [24.01]	938.7 [36.95]
CK10753	838.9 [33.03]	928.8 [36.56]

GMT900 26 GALLON FUEL TANK
CK10753 & CK10543 2007

SHOWN CK10753

[ ]= INCHES

ANB49354.8

FULL SIZE C/K LD PICKUPS

C/K 100 (00) w/LU3 (4.3L V6) – Exhaust Systems



	MODEL	A	B
SHOWN	CK10703	3023.0 [119.00]	1912.7 [75.30]
	CK10903	3378.0 [133.00]	2268.4 [89.30]
	CK10753	3645.0 [143.50]	2535.0 [99.80]
	CK10543	3645.0 [143.50]	2535.0 [99.80]

GMT900 EXHAUST SYSTEM LU3(4.3L)
NU1,NU5,NT7;CK100/00 LD 2009

09JUN2008 JF

ANF65340.9

FULL SIZE C/K LD PICKUPS

C/K 100 (00) w/L20 (4.8L V8) – Exhaust Systems



	MODEL	A	B
SHOWN	CK10703	3023.0 [119.0]	1896.4 [74.70]
	CK10903	3378.0 [133.0]	2252.1 [88.70]
	CK10753	3645.0 [143.50]	2518.7 [99.20]
	CK10543	3645.0 [143.50]	2518.7 [99.20]

GMT900 EXHAUST SYSTEM LY2(4.8L)
NU1,NU5,NT7;CK100/00 LD 2009

09JUN2008 JF

ANF65340.10

C/K 100 (00) w/LMG, LC9 & (5.3L V6) – Exhaust Systems



	MODEL	A	B
SHOWN	CK10703	3023.0 [119.00]	1912.7 [75.30]
	CK10903	3378.0 [133.00]	2268.4 [89.30]
	CK10753	3645.0 [143.50]	2535.0 [99.80]
	CK10543	3645.0 [143.50]	2535.0 [99.80]
	CK10953	4000.5 [157.50]	2898.2 [114.10]

GMT900 EXHAUST SYSTEM LY5(5.3L);LMG(5.3L)
LC9(5.3L);LH6(5.3L);NU1,NU5,NT7;CK100/00 LD 2009

09JUN2008 JF

ANF65340.11

C/K 100 (00) w/LZ1 Hybrid (6.0L V8) – Exhaust Systems



MODEL	A	B
CK10753	3645.0 [143.50]	2535.0 [99.80]
CK10543	3645.0 [143.50]	2535.0 [99.80]

GMT900 EXHAUST SYSTEM L76(6.0L)
NU1,NU5,NT7;CK100/00 LD 2009

09JUN2008 JF

ANF65340.12